

ATTENDING: ALAN, ED, BRIAN WEST, SHIRLEY

THE COMMITTEE AGREED THAT THEY WOULD LIKE TO SEE THE MULLENDYKE PROJECT PUSHED THROUGH ASAP. WE WOULD LIKE TO HAVE THIS DONE BY EARLY FALL.

THE COMMITTEE WAS VERY PLEASANTLY SURPRISED AT THE POSITIVE RESULTS OF THE DEPTH READING AT THE DUCK POND. IF THIS IS EVER PRESENTED TO RLPOA WITHOUT COST, WE WOULD HIGHLY RECOMMEND THAT WE TAKE IT. WE ALL AGREED THAT IT WOULD GIVE US IMMEDIATE DECISION TO REACT TO WATER TREATMENT OF ALGAE AND ALSO THE OPPORTUNITY TO INSTALL ONE OR TWO MORE AERATORS OR A FOUNTAIN AS MONEY IS OBTAINED WITHOUT SEEKING APPROVAL FROM ANOTHER PARTIAL OWNER.

IN LOOKING AT THE DEPTH READING, WE DETERMINED THAT IT WOULD BE RELATIVELY INEXPENSIVE TO DRAIN THE WATER DOWN 5 TO 6 FEET AND REMOVE ALL SILT AVAILABLE AT THAT TIME. WE COULD ALSO CHECK THE CEMENT FACILITY WHERE THE LAKE DRAINS. WE ALL AGREED THAT ONCE THIS AREA WAS CLEANED OUT, WITH TOTAL BUILDOUT IN THE WATERSHED AND ALL AREAS SODDED, THERE WILL BE LITTLE RUNOFF AND DESILTING SHOULDN'T BE A PROBLEM FOR MORE THEN 20 YEARS. THIS IS THE ENTRANCEWAY TO THE EAST SIDE OF RAINTREE AND AS IT NOW STANDS IS AN EYESORE AND CAN EASILY BE CLEANED UP

WE ASK THAT RLPOA GETS BIDS FOR CLEANING UP THIS POND----CRITCHFIELD AND A COUPLE OF OTHERS SHOULD HAVE IDEAS ON AN EASY CLEAN OUT. WE AGREED THAT IT COULD BE EASILY DONE AROUND \$50,000 AT THE MOST (ESPECIALLY WITH THE SILT STORAGE AREA AT MULLENDYKE.